

TOLIVS: A Typology Of Loss In Vaccine Supply Chains

Ioannis Daskalopoulos, Stephen Hailes, UCL George Roussos, Birkbeck College, University of London Tony Delamothe, British Medical Journal

Mohamed Ahmed, UCL Leo Brown, Peter Eyres, Netfuse



Contact i.daskalopoulos@ucl.ac.uk





The GAVI Alliance



- Founded in 2000, 370mln children vaccinated.
- From manufacture to use between 5% and 50% loss in vaccines
- Urgency in drastically reducing loss
- Diseases do not respect borders







The Vaccine Supply Chain

Infrastructure Limitations









The Vaccine Supply Chain

- Organisational Challenges
 - EVM (The Effective Vaccine Management)
 - HERMES (Highly Extensible Resource for Modelling Supply Chains)














- Robust Vaccine Tracking System
 - Improve data quality, quantity, reliability and timeliness
- Operation Along the Chain of Delivery
- Cloud based Information Management







TOLIVS Architecture








<u></u> UCL


















Temperature Variation









- Working Experimental Prototypes
- Power management
- Deployment with real shipments
- Proposal based on acquired information







Special Thanks

- Andrew Garnett, WHO, UNICEF, PATH
- Paul Colrain, Jan Grevendonk, WHO
- Sophie Newland, PATH
- Joannie Robertson, Patrick Lydon, GAVI
- Prof Heather Zar, Red Cross War Memorial Childrens Hospital Cape Town
- Dr Raul Isturiz, Dr David Coles, Pfizer
- Abdigani Diriye, IBM Research Catholic University of Eastern Africa
- Dakota Gruener, Oliver Wyman
- Rae Harbird, Jan Medvesek, UCL
- Marc Castello, uBlox
- Steve Brewer, ITaaU+



